In a hospital

CASE N°1 : Before touching a patient



In a hospital

CASE N°2 : Before a clean/aseptic procedure



In a hospital

CASE N°3 : After any body fluid exposure risk



In a hospital

CASE N°4 : After touching a patient



In a hospital

CASE N°5 : After touching patient surrounding



SITUATIONS

(print, cut out and shuffle)

I leave the room after leaving an extra blanket on the patient's bed.
I leave the room after cleaning the empty bed for a new patient.
I leave the room after writing a note on the file attached to the patient's bed.
I leave the patient who is just discharged after I handed over to him the medical prescription.
My shift is ending after I left the patient bedside where I was busy filling his file. I'll now leave the hospital to go back home.
I leave after placing an oxygen mask on the patient's face.
I leave the patient after measuring his vital signs.
I leave the patient after helping him to get dressed.
I leave the patient after helping him taking his meal.
I leave the patient after helping him to reinstall in his bed.

SITUATIONS

(print, cut out and shuffle)

I am removing my gloves after I emptied the urinal of the patient. I leave the patient after emptying the urinary drainage bag connected to his urinary catheter. I was not wearing gloves and felt a few drops projected onto my hands during the procedure. I leave the patient after compressing his wound for 10 minutes. I did not wear gloves and find that my hands are soiled with blood from the patient I leave the patient after taking a blood sample. My hands are soiled with the patient's blood. I leave the patient (a suspected cholera case) after I assisted him while he was vomiting. I didn't wear gloves while I was with him but my hands are not visibly soiled. I am about to administer an intramuscular drug to the patient. I am about to change the dressing of the patient. I am about to insert a urinary catheter (my material is ready) I just finished eating when I am suddenly requested to help a patient to take his medicine. I am about to insert an intravenous catheter.

SITUATIONS

(print, cut out and shuffle)

I have to enter a patient's room to measure his vital signs

I am at the patient bedside to insert a nasogastric tube.


I have to enter a patient's room to check her pulse, but notice my hands are dirty

I have to help the patient to wash because he is very weak

I have just arrived in my unit to start my shift when I a patient is calling me to check his infusion which is not flowing anymore.

TECHNIQUE: RUBBING HANDS WITH ABHR

(print and cut out)




TECHNIQUE: WASHING WITH WATER AND SOAP (print and cut out)





TECHNIQUE: RUBBING HANDS WITH ABHR

(print and cut out)



TECHNIQUE: WASHING WITH WATER AND SOAP (print and cut out)





In a hospital - ANSWERS

CASE N°1 : Before touching a patient



I have to enter a patient's room to measure his vital signs	
I just finished eating when I am suddenly requested to help a patient to take his medicine.	
I have to enter a patient's room to check her pulse, but notice my hands are dirty	
I have to help the patient to wash because he is very weak	
I have just arrived in my unit to start my shift when a patient is calling me to check his infusion which is not flowing anymore.	

In a hospital -ANSWERS

CASE N°2 : Before a clean/aseptic procedure



I am about to administer an intramuscular drug to the patient.	
I am about to change the dressing of the patient.	
I am about to insert a urinary catheter (my material is ready)	
I at the patient bedside to insert a nasogastric tube.	
I am about to insert an intravenous catheter.	

In a hospital - ANSWERS

CASE N°3 : After any body fluid exposure risk



I am removing my gloves after I emptied the urinal of the patient.	
I leave the patient after emptying the urinary drainage bag connected to his urinary catheter. I was not wearing gloves and felt a few drops projected onto my hands during the procedure.	
I leave the patient after compressing his wound for 10 minutes. I did not wear gloves and find that my hands are soiled with blood from the patient	
I leave the patient after taking a blood sample. My hands are soiled with the patient's blood.	
I leave the patient (a suspected cholera case) after I assisted him while he was vomiting. I didn't wear gloves while I was with him but my hands are not visibly soiled.	

In a hospital - ANSWERS

CASE N°4 : After touching a patient



I leave after placing an oxygen mask on the patient's face.	
I leave the patient after measuring his vital signs.	
I leave the patient after helping him to get dressed.	
I leave the patient after helping him taking his meal.	
I leave the patient after helping him to reinstall in his bed.	

In a hospital - ANSWERS

CASE N°5 : After touching the patient surrounding



I leave the room after leaving an extra blanket on the patient's bed.	
I leave the room after cleaning the empty bed for a new patient.	
I leave the room after writing a note on the file attached to the patient's bed.	
I leave the patient who is just discharged after I handed over to him the medical prescription.	
My shift is ending after I left the patient bedside where I was busy filling his file. I'll now leave the hospital to go back home.	